

ONLY THE BEST

SPRAY HEADS

SPRINKLERS

FITTINGS

FILTRATION

DRIPLINE

VALVE BOXES

CONTROLLERS

ELECTRIC VALVES

MICRO IRRIGATION



CEPEX SYSTEM

Cepex is a brand belonging to Fluidra group, with more than 30 years of experience in the market. Our main objective is to take care of the quality and environment, doing periodic essays and getting the ISO9001 and ISO14001 certificates.

Cepex distributes its products worldwide through the Fluidra sales network and other distributors. In the irrigation market, Cepex is manufacturer for some of the components, and distributor of the rest, providing our customers with complete Systems for turf irrigation. With so many years in the market, Cepex knows well its clients and all the market needs, so we are capable of giving the appropriate products in each case.

With our new range of products Cepex branded, we have selected the latest products in the market to offer the best RESCOM irrigation range. A complete range which lets you offer your costumers a reliable and safe irrigation system and have easily any installation.

Sprinklers, spray heads, electric valves, controllers, valve boxes, fittings, micro irrigation, filtration and dripline: all of them with Cepex guarantee.

And if you need, we can advise you to carry your Project out.

Cepex irrigation system: A STELLAR RANGE.





CPC CONTROLLERS

- Wall controllers (internal transformer).
- Outdoor.
- Electrical controlled.
- Easy program.
- Easy installation.
- 4, 6 or 8 stations available.



CRC CONTROLLERS

- Wall controllers (external transformer).
- Indoor.
- Electrical controlled.
- Easy program.
- Easy installation.
- 4, 6 or 8 stations available.

1

CMC CONTROLLERS

- Modular controllers.
- Control up to 24 valves.
- 8 stations default.
- Space for 4 expansion modules.
- Inlet for rain sensor, temperature or humidity.
- Individual program for different applications.



EXPANSION MODULE

- For controller CMC-08-24
- 4 stations each module



CBC001/002/004/006 CONTROLLERS

- Battery controllers.
- For 1, 2, 4 or 6 stations.
- Water resistant (IP68).
- Work with 9V batteries.
- Non volatile memory.
- Individual program for different applications.



MULTISTATION CONTROLLERS CLV200

- Kit with 2 stations controller and 2 electric valves installed.
- Battery controller.
- Water resistant (IP68).
- Work with 9V batteries.
- Non volatile memory.



CLV100 CONTROLLER

- Compact controller.
- 1" electric valve installed.
- Battery control.
- Water resistant.
- Ideally suited for underground installations.

CTA075 & CTD075 CONTROLLERS

- Tap controllers.
- Easy installation directly to the hose.
- Battery controlled.
- Digital or analogical.
- Very easy program.
- Ideal for small gardens or green spaces.





1

2

3

6

5

8

8

8

8

5 CEPEX ELECTRIC VALVES CPV

- Plastic electric valves (glass reinforced Nylon).
- Sizes from ¾" to 3".
- Flow regulator in all models.
- 24 VAC for electric controllers or 9V for battery controllers.
- Ergonomic and compact design.
- Total opening and security drip closing.
- Spring and bolts in stainless steel.
- Working pressure 0,7-10 bar.



6 CEPEX VALVE BOXES PRO SERIES

- High-impact polypropylene construction for long life and strong performance.
- Polypropylene is U.V.
- Overlapping covers prevent dirt and grass.
- Factory pierced slots for pipe.
- Ergonomic slot on body allows for easy cover removal.
- Vandal resistant bolt lock cover.
- Beveled cover edges help prevent damage.
- Built-in space for control Systems.



8 CEPEX VALVES AND FITTINGS

- PVC pressure fittings and PP compression fittings.
- PVC ball valves and butterfly valves.
- PVC manifold fittings.
- Clamp saddles and SB fittings.
- All of them, with the quality and guarantee of more than 30 years of manufacture.



2 CEPEX SPRINKLERS CSP

- ½" and ¾" sprinklers.
- Tested quality.
- Automatic arc return.
- From 4,6 to 11 m. and 5,5 to 13,5m.
- Arc setting: 40 to 360 degrees.
- 8 and 12 nozzle choices.



3 CEPEX SPRAY HEADS CSH

- Enhanced cap for more durability, easier handling, and extended riser seal life.
- Male threaded riser to accept all female nozzles.
- Extra large filter screen.
- Preinstalled Cephex Adjustable Nozzle optional.



4 CAN CEPEX ADJUSTABLE NOZZLES

- Crisp, well-defined edges.
- Easy grip top for simple adjustment.
- Color-coded for easy field identification.
- Adjustable from 0° to 360°.
- From 2,2 to 5,2 m.



CODE	DESCRIPTION	UNIT. / BOX	CODE	DESCRIPTION	UNIT. / BOX
57188	CSP075 – Cepex sprinkler 3/4" - 10cm. 0-360°	20	60188	CBC001 - Battery controller 1 station	12
57189	CSP050 – Cepex sprinkler 1/2" - 10cm. 0-360°	25	57631	CBC002 - Battery controller 2 station	12
57610	CSH04 – Cepex spray head - 10cm.	100	57632	CBC004 - Battery controller 4 station	12
57190	CSH04-CAN-10 – Cepex spray head 10cm. w/nozzle 3m	100	60189	CBC006 - Battery controller 6 station	12
57191	CASH04-CAN-12 – Cepex spray head 10cm. w/nozzle 3,7m	100	58747	CLV200 - Kit 2 station controller + 2 electric valves	12
57192	CSH04-CAN-15 – Cepex spray head 10cm. w/nozzle 4,6m	100	17186	ROUND VALVE BOX w/3/4" valve for hose (21x21x11)	210
57611	CSH04-CAN-17 – Cepex spray head 10cm. w/nozzle 5,2m	100	02672	ROUND VALVE BOX (16x20x24)	360
57195	CAN-8 – Cepex adjustable nozzle 2,4m 0-360°	250	02673	ROUND VALVE BOX (24x33x26)	150
57196	CAN-10 - Cepex adjustable nozzle 3m 0-360°	250	02674	RECTANGULAR VALVE BOX STANDARD (27x39)x(35x48)x31	150
57197	CAN-12 - Cepex adjustable nozzle 3,7m 0-360°	250	02675	RECTANGULAR VALVE BOX JUMBO (43x60)x(37x54)x31	100
57198	CAN-15 - Cepex adjustable nozzle 4,6m 0-360°	250	41850	90° elbow (manifold system) Fx F 1" for electric valve	40
57199	CAN-17 - Cepex adjustable nozzle 5,2m 0-360°	250	41851	90° elbow (manifold system) Fx M 1" for electric valve	50
56113	CPV2071B – Cepex electric valve 3/4" F BSP, w/flow control, solenoid 2 ways 24VAC	20	41852	90° tee (manifold system) FxFxM 1" for electric valve	30
56114	CPV2101B - Cepex electric valve 1" F BSP, w/flow control, solenoid 2 ways 24VAC	20	41853	Cross (manifold system) FxFxFxM 1" for electric valve	20
56115	CPV2151B - Cepex electric valve 1 1/2 F BSP, w/flow control, solenoid 2 ways 24VAC	10	41854	Socket (manifold system) Fx F 1" for electric valve	50
56116	CPV2201B - Cepex electric valve 2" F BSP, w/flow control, solenoid 2 ways 24VAC	10	41855	Socket (manifold system) Fx M 1" for electric valve	60
57641	CPV2301V - Cepex electric valve 3" F BSP, w/flow control, solenoid 2 ways 24VAC	10	41856	Nipple (manifold system) 1" for electric valve	80
56118	CPV2101B9 - Cepex electric valve 1" F BSP, w/flow control, solenoid 2 ways 9V lacht	20	41857	Reducing nipple (manifold system) 1" x 3/4" for electric valve	90
56119	CPV2151B9 - Cepex electric valve 1 1/2 F BSP, w/flow control, solenoid 2 ways 9V lacht	10	41858	2-outlet manifold 1" for electric valve	16
56120	CPV2201B9 - Cepex electric valve 2" F BSP, w/flow control, solenoid 2 ways 9V lacht	10	41859	3-outlet manifold 1" for electric valve	10
56160	CRC004 – Residential controller 4 stations indoor AC	12	41860	4-outlet manifold 1" for electric valve	16
56161	CRC006 - Residential controller 6 stations indoor AC	12	41861	Cap (manifold system) 1" for electric valve	100
57625	CRC008 - Residential controller 8 stations indoor AC	12	56888	Quick coupling valve (brass) 3/4" M	30
57626	CPC004 - Residential controller 4 stations outdoor AC w/internal transformer	12	56889	Quick coupling key (brass) 3/4" M x 1/2" F	30
57627	CPC006 - Residential controller 6 stations outdoor AC w/internal transformer	12	56892	Hose swivel (brass) 3/4" F x 3/4" M	40
57628	CPC008 - Residential controller 8 stations outdoor AC w/internal transformer	12	56890	Quick coupling valve (brass) 1" M	15
60190	CMC-08-24 - Modular controller 8 stations	12	56891	Quick coupling key (brass) 1" M x 3/4" F	15
60191	CMC-08-module - Expansion module 4 stations for CMC	12	58402	Hose swivel (brass) 1" F x 1" M	25
56162	CLV100 - 9V compact controller w/electric valve 1"F	12	56883	Quick coupling valve (plastic) 3/4" M	70
56157	CTD075 – Digital tap controller 3/4"F	6	56884	Quick coupling key (plastic) 3/4" M x 1/2" F	100
56158	CTA075 – Aanlogic tap controller 3/4"F	6	56885	Hose swivel (plastic) 3/4" F x 3/4" M	250
			56886	Quick coupling valve (plastic) 1" M	50
			56887	Quick coupling key (plastic) 1" M x 3/4" F	100